

---

## Technical Contacts

---

**Dave Horner**

(519) 837-5662 ext.2351  
Supervisor of Technical Services  
Dave.Horner@riverrun.ca

**Anthony Brown**

(519) 837-5662 ext.2494  
Lead Technician – Lighting & Rigging  
Anthony.Brown@riverrun.ca

**Luke deRuiter**

(519) 837-5662 ext 2202  
House Technician - Audio  
Luke.deRuiter@riverrun.ca

**Chris Stoeckle**

(519) 837-5662 ext.2201  
House Technician – Stage Carpentry  
Chris.Stoeckle@riverrun.ca

**Tom Andrews**

(519) 837-5662 ext.2204  
House Technician – AV  
Tom.Andrews@riverrun.ca

---

## Seating Capacity

---

Theatre Style seating	225
Cabaret Table Seating	132

The theatre style bleacher seating is completely retractable and therefore can be configured with less than full number of rows of seats, if required.

---

## Stage

---

### Stage Dimensions

Overall Room Dimensions

- 44'-6"W x 54'-0"L

Performance Space – full theatre seating

- 31'-0"W x 17'-0"D

Grid Height from Stage Floor

- 24'-0"

### Stage Floor

The stage floor is constructed of maple, painted black, and sprung. Lagging or screwing into the floor is not permitted

### Soft Goods

Legs – (4) 24'-0"H x 12'-0"W black velour – 0% fullness (used in house plot)

Borders – (2) 4'-0"H x 46'-0"W black velour – 0% fullness (used in house plot)

Traveller – hung against back wall – (1) @ black velour 50% fullness; (1) @ purple velour 50% fullness

Acoustic Curtains – hung in (4) separate pockets on side walls – both black and purple velour @ 50% fullness

This document is available in alternate formats upon request.

## Stage Accessories

- (28) 4' x 8' Wenger versatile staging platforms (each requires 6 legs)
- (108) 8" legs – 18 risers
- (72) 16" legs – 12 risers
- (26) 24" legs – 21 risers
- (38) 32" legs – 6 risers
- Skirting for 8" and 16" leg heights
- Caster set to create an 8'x8'x16" rolling riser
- (6) 8' safety rails; (6) 4' safety rails
- (4) 16" stair units; (2) 24" stair units
- (1) Acrylic Lectern with microphones

## Pianos

- (1) Steinway grand – Model B
- (1) Wurlitzer upright – suitable for rehearsal only

All piano tuning must be arranged by the River Run Centre. Please contact the Supervisor of Technical Services if you would like to schedule a tuning or enquire about current rates.

---

## Facility

---

### Loading Docks

There are two loading docks located at the rear of the building. Each door is 94 1/2"x 106" and is equipped with a hydraulic leveller. The loading dock doors are approximately 110 ft down a service corridor to Co-operators Hall. Loading dock levellers will only facilitate trucks with a minimum deck height of 36".

### Parking

Clients renting the Co-operators Hall are entitled to two parking passes for temporary parking at River Run Centre (including any production vehicles). Additional parking can be found in parkades directly across the street, or at meters in front of the Centre.

## Dressing Rooms and Facilities

- Dressing Room A: small dressing room (2 mirror positions) with private accessible restroom with shower
- Dressing Room B: small dressing room (3 mirror positions) with private restroom with shower
- Dressing Room C: small dressing room (3 mirror positions) with private restroom with shower
- Dressing Room D: large dressing room (10 mirror positions) adjacent to Men's washroom (adjoining door) with showers and Dressing room E (adjoining door)
- Dressing Room E: large dressing room (10 mirror positions) adjacent to dressing room D and dressing room F (adjoining doors)
- Dressing Room F: large dressing room (10 mirror positions) adjacent to Women's washroom (adjoining door) with showers, and dressing room E (adjoining door)
- Wardrobe Room: located at the end of the dressing room hallway, equipped with washer, dryer, steamer, and ironing board. Wardrobe requirements must be advanced with the theatre prior to load-in
- Green Room: equipped with comfortable furniture, microwave, bar-fridge, sink, and phone capable of making internal and local calls

Please note that if Main Stage is in use, dressing rooms are limited to (1) large (D-F) and (1) small (A-C), and the green room and wardrobe room are shared space

---

## Electrics

---

### House Lighting Plot

Co-operators Hall is equipped with an extensive house lighting plot. Please contact the Supervisor of Technical Services to request copies of paperwork and/or current inventory.

### Lighting Control

(1) Strand Palette VL 16 with wireless remote located in the control room. **House lights** are controlled via a Strand outlook system. Control pendants are located in the lighting booth, down stage left, and inside the audience entrance doors.

### Dimmers / Circuits

- (96) 2.4k Strand CD80 dimmers
- (112) Circuits – 16 are mirrored left & right
- All plugs are wired 20A new style twist lock

### Colour Media and Gobos

Gel and gobo inventory is constantly changing. River Run Centre primarily stocks ROSCO colour. Please contact the Supervisor of Technical services to check availability. Any additional gel and/or gobos that must be purchased for clients will be charged back at applicable rates.

### Accessories

- (1) MDG Atmosphere Hazer
- (1) F100 Fog Machine
- (1) F100 Liquid CO2 low lying fog chiller
- (2) Rosco gobo rotators

---

## Audio Equipment

---

### Front of House Mix Position

- DDA CS8 – location is raised at rear of house
- (40) inputs, (8) groups, (6) matrix outs (8) Aux sends
- (1) Klark Teknik DN 360 Stereo EQ
- (1) dbx 1531x graphic EQ
- (1) Denon DT 610 Combo CD / Cassette
- (1) TC Electronic M-one
- (1) Roland SDE-2500 Delay
- (4) Behringer MDX 4400 Quad Compressors

### Booth Position

- Yamaha O1V – (12) mic inputs, (2) stereo line in, (4) Aux sends (2) stereo out
- Denon DN-D4000 Dual CD player with pitch control

### Speaker System

#### *Mains*

- (4) Meyer UPA 1C – 2 per side
- (2) EV X-Array 2181 (2x18") per side

### Processing and Amplification

- (1) EV DX38 digital processors
- (2) Meyer Crossover
- (2) Crest CKS 800 amplifier
- (1) EV P3000

## Monitor System

Co-operators Hall provides (2) separate monitor mixes to be mixed from the FOH console position. If more mixes are required please contact the Supervisor of Technical Services.

### *Speakers, Processing, and Amplification*

- (8) EV X-Array 1152 bi-amp
- (1) EV DX38 digital processors
- (2) Crest CKS 800 amplifier
- (1) Klark Teknik DN 360 dual 31 band EQ
  - Located at the FOH mix position

## Microphones

### *Shure*

- (6) Beta 58A
- (4) Beta 57A

### *AKG*

- (6) CK91
- (1) C 535

### *Other*

- (1) EV ND 308B
- (2) Sennheiser MD421
- (1) Sony WRR 800 Wireless Lav

### *DI's*

- (6) BSS Active DI
- (1) JDI Stereo Direct Box

---

## Video Equipment

---

### Projection Screens

- (1) Motorized 9' x 12' front projection screen hung in ceiling against back traveller
- (1) Draper 8' x 8' tripod front projection screen

### Projectors

- (1) Sony VPLFX40L 4000 Ansi Lumen SXGA projector permanently hung from ceiling
- (1) Sony VPL-PX10 2000 Ansi Lumen XGA projector available for other locations

### Playback

- (2) Pioneer DVD-V7400 Multi-format DVD players
- (1) Sony BDPS360 Blu-Ray disc player