

---

### Technical Contacts

---

**Dave Horner**

(519) 837-5662 ext.2351  
Supervisor of Technical Services  
Dave.Horner@riverrun.ca

**Anthony Brown**

(519) 837-5662 ext.2494  
Lead Technician – Lighting & Rigging  
Anthony.Brown@riverrun.ca

**Luke deRuiter**

(519) 837-5662 ext 2202  
House Technician - Audio  
Luke.deRuiter@riverrun.ca

**Chris Stoeckle**

(519) 837-5662 ext.2201  
House Technician – Stage Carpentry  
Chris.Stoeckle@riverrun.ca

**Tom Andrews**

(519) 837-5662 ext.2204  
House Technician – AV  
Tom.Andrews@riverrun.ca

---

### Seating Capacity

---

Orchestra Lift:	60*
Main Orchestra:	340
Terrace:	179
Balcony:	158
Boxes:	<u>48</u>
<b>TOTAL</b>	<b>785</b>

\* The orchestra lift can also play either at stage level or function as an orchestra pit upon request. Additional labour charges will apply.

---

### Stage

---

#### Stage Dimensions

Proscenium Opening

- 40' – 62' (adjustable) wide x 29.6' high
- Setting Line to Traveller

- 31' – 5"

Setting Line to Cyclorama

- 38'

House Trim

- 24' to the bottom of the lighting fixtures

Stage Floor to Grid

- 68' – 11"

#### Stage Floor

The stage floor is constructed of maple, painted black, and sprung. Lagging or screwing into the floor is not permitted

#### Fly System/Rigging

- Single purchase manual fly system
- Total of 53 linesets with a safe working load of 1500lbs per set
- Operation gallery is elevated on stage left
- Refer to RRC lineset schedule for more information. All rigging requirements must be advanced with the theatre prior to load-in

#### Soft Goods

- Legs – (2) pairs @ 20' x 32'; (5) pairs @ 12' x 32'
- Borders – (1) @ 75' x 20'; (1) @ 70' x 16'; (5) @ 70' x 12'
- Main Curtain – purple velour, operates manually as a guillotine from the fly gallery
- Traveller – black velour, can be opened from stage right at stage level or flown
- (1) black sharktooth scrim @ 69' x 30'
- Cyclorama – white muslin @ 69' x 30'

This document is available in alternate formats upon request.

## Orchestra Shell

River Run Centre has a **Wenger Diva Acoustical Concert Shell System** consisting of 12 wall panels, and 4 ceiling panels. Full shell dimensions are approximately 62'W x 46'D. The shell can be tailored for different uses. Please call the Supervisor of Technical Services for more information.

## Pianos

- (1) Steinway Concert Grand - model D
- (1) Wurlitzer Upright - suitable for rehearsal only

All piano tuning must be arranged by the River Run Centre. Please contact the Supervisor of Technical Services if you would like to schedule a tuning or enquire about current rates.

## Stage Accessories

- (28) 4' x 8' Wenger versatile staging platforms (each requires 6 legs)
- (108) 8" legs – 18 risers
- (72) 16" legs – 12 risers
- (26) 24" legs – 21 risers
- (38) 32" legs – 6 risers
- Skirting for 8" and 16" leg heights
- Caster set to create an 8'x8'x16" rolling riser
- (6) 8' safety rails; (6) 4' safety rails
- (4) 16" stair units; (2) 24" stair units
- (1) Acrylic Lectern with microphones orchestra
- (55) black orchestra chairs
- (55) music stands

---

## Facility

---

### Loading Docks

There are two loading docks located at the rear of the building. Each door is 94 1/2"x 106" and is equipped with a hydraulic leveller. The loading dock doors are approximately 50 ft in a straight line to the main stage. Loading dock levellers will only facilitate trucks with a minimum deck height of 36".

### Parking

Clients renting the main stage are entitled to two parking passes for temporary parking at River Run Centre (including any production vehicles). Additional parking can be found in parkades directly across the street, or at meters in front of the Centre.

### Dressing Rooms and Facilities

- Dressing Room A: small dressing room (2 mirror positions) with private accessible restroom with shower
- Dressing Room B: small dressing room (3 mirror positions) with private restroom with shower
- Dressing Room C: small dressing room (3 mirror positions) with private restroom with shower
- Dressing Room D: large dressing room (10 mirror positions) adjacent to Men's washroom (adjoining door) with showers and Dressing room E (adjoining door)
- Dressing Room E: large dressing room (10 mirror positions) adjacent to dressing room D and dressing room F (adjoining doors)
- Dressing Room F: large dressing room (10 mirror positions) adjacent to Women's washroom (adjoining door) with showers, and dressing room E (adjoining door)

- Wardrobe Room: located at the end of the dressing room hallway, equipped with washer, dryer, steamer, and ironing board. Wardrobe requirements must be advanced with the theatre prior to load-in
- Green Room: equipped with comfortable furniture, microwave, bar-fridge, sink, and phone capable of making internal and local calls

Please note that if Co-operators Hall is in use, dressing rooms are limited to (2) large (D-F) and (2) small (A-C), and the green room and wardrobe room are shared space

---

## Electrics

---

### Available Touring Power

Loading Dock	200A 3 phase camlok
Stage Right	400A 3 phase camlok
Stage Left	200A 3 phase camlok
Canada Company Hall	200A 3phase camlok
Stage Right Operating Gallery	400A 3 phase bare tail tie-in

**Please note that any electrical equipment that is brought to River Run Centre must have an accepted certification mark recognized in the Province of Ontario.**

**Before access to the above panels is permitted a wiring notification (permit) must be obtained through the Electrical Safety Authority of Ontario. Please contact the Supervisor of Technical Services for more information.**

## House Lighting Plot

The Main Stage is equipped with an extensive house lighting plot. Please contact the Supervisor of Technical Services for copies and/or current inventory.

## Lighting Control

(1) Strand light palette classic (with (2) 24-submaster wings, (1) 100 hot key button panel) is located in the lighting booth at the rear of the orchestra level. A wireless remote is available. **House lights** are controlled via a Strand outlook system. Control pendants are located in the lighting booth, and down stage right.

## Dimmers / Circuits

- (520) 2.4k Strand CD80 dimmers (Main Stage is dimmer per circuit)
- All plugs are wired 20A new style twist lock
- Stage pin FOH transfer panel available on stage right operating gallery.

## Colour Media and Gobos

Gel and gobo inventory is constantly changing. River Run Centre primarily stocks ROSCO colour. Please contact the Supervisor of Technical Services to check availability. Any additional gel and/or gobos that must be purchased for clients will be charged back at applicable rates.

## Accessories

- (1) MDG Atmosphere Hazer
- (1) F100 Fog Machine
- (1) F100 Liquid CO2 low lying fog chiller
- (2) Rosco gobo rotators
- (1) 24" mirror ball with DMX controlled motor

---

## Audio Equipment

---

### Front of House Mix Position

- Digico SD7 digital console with (56) input x (56) output stage box
- All FOH effects and EQ are onboard
- (1) Denon dual CD player with pitch control

### Booth Position

- Yamaha O1V – (12) mic inputs, (2) stereo line in, (4) Aux sends (2) stereo out
- Located at the rear of the orchestra level in the control room
- (1) Denon dual CD player with pitch control

### Speaker System

#### *Mains*

- (3) EV X-Array 1183 per side
- (2) EV X-Array 2181a (2x18") per side
- (2) EV X-Array 1152 – flown centre cluster
- (3) EV X-Array CS52 – under balcony fill
- (3) Meyer UPM – front fill

#### *Processing and Amplification*

- (4) Klark Teknik DN8000
- (9) EV P3000
- (2) EV P1200
- (1) EV P900

### Monitor System

#### *Console*

- MIDAS XL4-64 – (48) Mono inputs, (16) stereo, (24) Aux sends

#### *Speakers, Processing, and Amplification*

- (2) EV X-Array 1152 bi-amp
- (13) EV X-Array XW12 bi-amp
- (6) EV DX38 digital processors
- (6) EV P1200 amplifiers
- (6) EV P3000 amplifiers
- (6) Klark Teknik DN 360 dual 31 band EQ's

\* Monitor System is shared between all venues at River Run. Please call for availability

### Microphones

#### *Shure*

- (8) Beta 58
- (1) Beta 52
- (1) Beta 87A
- (1) Beta 91
- (6) Beta 98
- (4) SM 57
- (2) SM 58 with switch
- (6) SM 81

#### *AKG*

- (2) 414 XLII
- (4) 414 XLS
- (3) CK91

#### *Other*

- (2) RHODE NT1A
- (2) RHODE NT2
- (4) Sennheiser MD421
- (2) Sennheiser E906
- (3) Crown PCC

#### *DI's*

- (9) BSS Active DI
- (2) JDI Stereo Direct Box
- (2) JDI Passive DI

### Wireless Microphones

- (20) Shure UHF J4
- (20) Bodypack with Lav Mic
- (6) Handheld with Beta 58A cap or Beta 87A cap

---

## Video Equipment

---

### Projection Screens

- (1) 9' x 12' Fastfold with front and rear skins
- (1) 8' x 8' Tripod front projection screen

### Projection & Switching

- (1) Christie HD8K 8000 Ansi Lumen projector
- (1) Sony VPL-PX10 2000 Ansi Lumen projector
- (1) Analog Way Octo-Plus 8 channel XGA switcher/scaler

### Playback

- (2) HHB Pro DVD Player
- (1) Sony BDP5360 Blu-Ray Disc Player
- (1) PC laptop with Windows 7 and Powerpoint

### Cameras & Video Capture

- (3) Panasonic Studio Camera Kits
- (1) Mini DV Cam Sony Hard Drive Recorder
- (1) JVC KM-2000 Camera Switcher

Multi-track audio and video recording is available. Please contact the Supervisor of Technical Services for more details.